



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
AAF-E Follow-Up After Acute and Urgent Care Visits for Asthma	Persons 5-64 years of age that had an asthma-related visit in any of the following settings and had an asthma follow-up visit within 30 days. • Urgent care • Inpatient • Observation • Emergency Department This measure is new in 2026, replacing the HEDIS Measure AMR from previous years.	Outpatient and Telehealth CPT: 98000-98016, 98966-98968, 98970-98972, 98980, 98981, 99202-99205, 99211-99215, 99242-99245, 99341, 99342, 99344, 99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441-99443, 99455-99458, 99483 HCPCS: G0071, G0402, G0438, G0439, G0463, G2010, G2012, G2250, G2251, G2252, T1015
AAP Adults' Access to Preventive/Ambulatory Health Services	Persons 20 years of age and older have an ambulatory or preventive care visit during the measurement year. Broadly speaking, this measure counts adults who have had their annual physical examination for the year.	Ambulatory Visits CPT: 92002, 92004, 92012, 92014, 98000, 98001-98016, 98966-98968, 98970-98972, 98980, 98981, 99202-99205, 99211-99215, 99242-99245, 99304-99310, 99315, 99316, 99341, 99342, 99344, 99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99421-99423, 99429, 99441, 99442, 99443, 99457, 99458, 99483 HCPCS: G0071, G0402, G0438, G0439, G0463, G2010, G2012, G2250-G2252, S0620, S0621, T1015 Reason for Ambulatory Visit ICD-10: Z00.00, Z00.01, Z00.121, Z00.129, Z00.3, Z00.5, Z00.8, Z02.0, Z02.1, Z02.2, Z02.3, Z02.4, Z02.5, Z02.6, Z02.71, Z02.79, Z02.81, Z02.82, Z02.83, Z02.84, Z02.89, Z02.9, Z76.1, Z76.2



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
ADD-E Follow-Up Care for Children Prescribed ADHD Medication	Children 6–12 years of age with newly prescribed ADHD medication, who complete at least three follow-up visits within a 10-month period, one of which must take place within 30 days of the first prescription during the measurement year.	BH Outpatient CPT: 98000, 98001-98007, 98960-98962, 99078, 99202-99205, 99211-99215, 99242-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, G0560, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 Health & Behavior Assessment/ Intervention CPT: 96156, 96158-96159, 96164-96165, 96167-96168, 96170-96171



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
AIS-E Adult Immunization Status	Persons aged 19 years and older up to date on recommended vaccines. Influenza Received 1 dose between July 1 of the year prior to the measurement period and June 30 of the measurement period. Td / Tdap (Tetanus, Diphtheria, Pertussis) Rec'd at least 1 Td or Tdap vax within <i>nine</i> years prior to the start of the measurement period through the last day of the measurement period. Zoster Received 2 doses of recombinant zoster vaccine (Shingrix) • Doses must be at least 28 days apart. • Administered between 10/20/2017 and the end of the measurement period. Pneumococcal Received at least 1 adult pneumococcal vaccine which must be given: • On or after the 65th birthday.	Adult Influenza Vaccine CPT: 90653, 90656, 90658, 90661, 90662, 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756 Td Vaccine CPT: 90714 Tdap Vaccine CPT: 90715 Herpes Zoster Vaccine CPT: 90750 Adult Pneumococcal Vaccine CPT: 90670, 90671, 90677, 90732, 90684 HCPCS: G0009



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
AIS-E (Cont.) Adult Immunization Status	Hepatitis B Person must meet ONE of the following: Option 1 (Childhood series): • 3 doses of Hepatitis B vaccine • Given on different dates of service • Completed on or before 19th birthday Option 2 (Adult series): • Completed on or after age 19, before or during the measurement period: ◦ 2-dose series 28+ days apart -- -OR- ◦ 3-dose series on different DOS COVID-19 Received at least 1 dose of a COVID-19 vaccine: • Between July 1 of the year prior to the measurement period and June 30 of the measurement period, <u>and</u> • on or after the 65th birthday.	Hepatitis B Vaccine CPT: 90697, 90723, 90739, 90740, 90743, 90744, 90746-90748, 90759 HCPCS: G0010 COVID-19 Vaccine CPT: 91304, 91320, 91322, 91323



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
APM-E Metabolic Monitoring for Children and Adolescents on Antipsychotics	Persons aged 1–17 who had two or more antipsychotic prescriptions and had metabolic testing during the measurement year. Compliance with the measure is having both tests completed. Three rates are reported: • Blood glucose testing • Cholesterol testing • Blood glucose and cholesterol testing	Glucose Lab Test CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 HbA1C Lab Test CPT: 83036, 83037 HbA1C Test Result or Finding CPT-II: 3044F, 3046F, 3051F, 3052F LDL-C Lab Test CPT: 80061, 83700, 83701, 83704, 83721 LDL-C Test Result or Finding CPT-II: 3048F, 3049F, 3050F Cholesterol Lab Test CPT: 82465, 83718, 83722, 84478
APP Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics	Persons aged 1–17 who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment during the measurement year.	Psychosocial Care CPT: 90832-90834, 90836-90840, 90845-90847, 90849, 90853, 90875, 90876, 90880 HCPCS: G0176, G0177, G0409-G0411, H0004, H0035-H0040, H2000, H2001, H2011-H2014, H2017-H2020, S0201, S9480, S9484, S9485 Residential Behavioral Health Treatment HCPCS: H0017-H0019, T2048



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions												
BCS-E Breast Cancer Screening	Persons aged 40–74 were advised to get a routine breast cancer screening and had a mammogram during the measurement year.	Mammography CPT: 77061-77063, 77065-77067 Unilateral Mastectomy CPT: 19180, 19200, 19220, 19240, 19303-19307 Absence of Left Breast ICD-10: Z90.12 Absence of Right Breast ICD-10: Z90.11 Bilateral Mastectomy ICD-10: Z90.13												
BPC-E Blood Pressure Control for patients with hypertension	Persons aged 18–85 with hypertension whose most recent blood pressure was below 140/90 mm Hg during the measurement year.	Essential Hypertension ICD-10-CM: I10 Systolic BP CPT-II: <table><tr><td><130</td><td>3074F</td></tr><tr><td>130-139</td><td>3075F</td></tr><tr><td>≥140</td><td>3077F</td></tr></table> Diastolic BP CPT-II: <table><tr><td><80</td><td>3078F</td></tr><tr><td>80-89</td><td>3079F</td></tr><tr><td>≥90</td><td>3080F</td></tr></table>	<130	3074F	130-139	3075F	≥140	3077F	<80	3078F	80-89	3079F	≥90	3080F
<130	3074F													
130-139	3075F													
≥140	3077F													
<80	3078F													
80-89	3079F													
≥90	3080F													



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions												
BPD-E Blood Pressure Control for patients with diabetes	Persons aged 18–75 who have diabetes and had a recent blood pressure reading below 140/90 during the measurement year.	Systolic BP CPT-II: <table><tr><td><130</td><td>3074F</td></tr><tr><td>130-139</td><td>3075F</td></tr><tr><td>≥140</td><td>3077F</td></tr></table> Diastolic BP CPT-II: <table><tr><td><80</td><td>3078F</td></tr><tr><td>80-89</td><td>3079F</td></tr><tr><td>≥90</td><td>3080F</td></tr></table>	<130	3074F	130-139	3075F	≥140	3077F	<80	3078F	80-89	3079F	≥90	3080F
<130	3074F													
130-139	3075F													
≥140	3077F													
<80	3078F													
80-89	3079F													
≥90	3080F													
CBP Controlling High Blood Pressure <i>*NCQA will retire this hybrid measure in 2028 and replace it with BPC-E.</i>	Persons aged 18–85 who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (<140/<90) during the measurement year.	Outpatient and Telephone Visits Use appropriate codes to document a visit. Then use these codes to report the blood pressure values. Systolic BP CPT-II: <table><tr><td><130</td><td>3074F</td></tr><tr><td>130-139</td><td>3075F</td></tr><tr><td>≥140</td><td>3077F</td></tr></table> Diastolic BP CPT-II: <table><tr><td><80</td><td>3078F</td></tr><tr><td>80-89</td><td>3079F</td></tr><tr><td>≥90</td><td>3080F</td></tr></table>	<130	3074F	130-139	3075F	≥140	3077F	<80	3078F	80-89	3079F	≥90	3080F
<130	3074F													
130-139	3075F													
≥140	3077F													
<80	3078F													
80-89	3079F													
≥90	3080F													



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
CCS-E Cervical Cancer Screening	Persons aged 21–64 received recommended routine cervical cancer screening during the measurement year. Individuals count as “screened” if they had any one of the following: • Ages 21–64: ◦ Pap test (cytology) within the past 3 years • Ages 30–64: ◦ High-risk HPV (hrHPV) test within the past 5 years, -OR- ◦ Co-testing (Pap + hrHPV) within the past 5 years	Cervical Cytology Lab Test CPT: 88141-88143, 88147, 88148, 88150, 88152, 88153, 88164-88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001 High Risk HPV Test CPT: 87624-87626, 0502U HCPCS: G0476 Hysterectomy With No Residual Cervix CPT: 57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290- 58294, 58548, 58550, 58552-58554, 58570-58573, 58575, 58951, 58953, 58954, 58956, 59135 Absence of Cervix Diagnosis ICD-10: Q51.5, Z90.710, Z90.712
CHL Chlamydia Screening	Persons aged 16–24 identified as sexually active and who had at least one test for chlamydia during the measurement year.	Chlamydia Tests CPT: 87110, 87270, 87320, 87490, 87491, 87492, 87810



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
CIS-E Childhood Immunization Status (Completed by or on the 2 nd birthday)	Youth who had the following vaccines by their 2nd birthday:	DTaP Vaccine Procedure CPT: 90697, 90698, 90700, 90723
	4 DTaP Four diphtheria, tetanus, and acellular pertussis	IPV Vaccine Procedure CPT: 90697, 90698, 90713, 90723
	3 IPV Three polio (IPV) doses	MMR Vaccine Procedure CPT: 90707, 90710
	1 MMR One measles, mumps, and rubella	Haemophilus Influenzae Type B (HiB) Vaccine Procedure CPT: 90644, 90647, 90648, 90697, 90698, 90748
	3 HiB Three haemophilus influenza type B	HEP-B Vaccine Procedure CPT: 90697, 90723, 90740, 90744, 90747, 90748 HCPCS: G0010
	3 HepB Three hepatitis B	VZV Vaccine Procedure CPT: 90710, 90716
	1 VZV One chicken pox	PCV Vaccine Procedure CPT: 90670, 90671, 90677 HCPCS: G0009
	4 PCV Four pneumococcal conjugates	HEP-A Vaccine Procedure CPT: 90633
	1 Hep A One hepatitis A	Rotavirus Vaccine Procedure Two dose CPT: 90681 Three dose CPT: 90680
	2-3 RV Two or three rotaviruses	Influenza Vaccine Procedure CPT: 90655-90658, 90660, 90674, 90685-90688, 90756
2 Flu Two influenza vaccines		



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
COL-E Colorectal Cancer Screening	Persons aged 45–75 who received appropriate colorectal cancer screening, defined as having completed any of the following: • FOBT (Fecal Occult Blood Test)- Measurement Year only • Stool DNA (sDNA) with FIT test also known as Cologuard - 2 years prior • Flexible sigmoidoscopy - 4 years prior • CT colonography - 4 years prior • Colonoscopy - 9 years prior	FOBT CPT: 82270, 82274 HCPCS: G0328 sDNA with FIT Test CPT: 81528 (Cologuard®), 0464U Flexible Sigmoidoscopy CPT: 45330-45335, 45337, 45338, 45340-45342, 45346, 45347, 45349, 45350 HCPCS: G0104 CT Colonography CPT: 74261-74263 Colonoscopy CPT: 44388-44392, 44394, 44401-44408, 45378-45382, 45384-45386, 45388-45393, 45398 HCPCS: G0105, G0121
DSF-E Depression Screening and Follow-up for Adolescents and Adults	Persons aged 12 years and older who: • Were screened for clinical depression using standardized instruments during the measurement year • Received follow-up care if screening was positive for clinical depression	Behavioral Health Encounter CPT: 90791, 90792, 90832-90834, 90836-90839, 90845-90847, 90849, 90853, 90865, 90867-90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409-G0411, G0511, G0512, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
EED Eye Exam for Patients with Diabetes	Persons ages 18–75 with Type 1 or Type 2 diabetes who had a retinal eye exam during the measurement year.	Eye Exam with Evidence of Retinopathy CPT-II: 2022F, 2024F, 2026F Eye Exam without Evidence of Retinopathy CPT-II: 2023F, 2025F, 2033F Retinal Eye Exams CPT: 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92137, 92201, 92202, 92230, 92235, 92250, 99203-99205, 99213-99215, 99242-99245 HCPCS: S0620, S0621, S3000 Unilateral Eye Enucleation CPT: 65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
FUA Follow-up After Emergency Department Visit for Substance Use	Persons ages 13 years and older with a principal diagnosis of substance abuse or any diagnosis of drug abuse that received the following follow-up care. Two rates are reported: - Received follow-up care within 7 days from discharge - Received follow-up care within 30 days from discharge	BH Outpatient CPT: 98000, 98001-98007, 98960, 98961, 98962, 99078, 99202- 99205, 99211-99215, 99242- 99245, 99341, 99342, 99344, 99345, 99347-99350, 99381- 99387, 99391- 99397, 99401- 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, G0560, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013-H2020, T1015 Behavioral Health Assessment CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
FUH Follow-up After Hospitalization for Mental Illness	Persons ages 6 years and older hospitalized with primary diagnosis of mental illness, or any diagnosis of intentional self-harm that received the following follow-up care. Two rates are reported: - Received a mental health follow-up visit within 7 days after discharge - Received a mental health follow-up visit within 30 days after discharge *Visits that occur on the same day of discharge are not compliant.	BH Outpatient CPT: 98000, 98001-98007, 98960-98962, 99078, 99202-99205, 99211-99215, 99242-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013-H2020, T1015 Psychiatric Collaborative Care Management CPT: 99492-99494 HCPCS: G0512 Transitional Care Management Services CPT: 99495, 99496
FUM Follow-Up After Emergency Department Visit for Mental Illness	Persons ages 6 years and older discharged from the ED with a primary diagnosis of mental illness, or any diagnosis of self-harm. - Received follow-up care within 7 days from discharge - Received follow-up care within 30 days from discharge *Visits that occur on the same day of discharge are compliant.	BH Outpatient CPT: 98000, 98001-98007, 98960, 98961, 98962, 99078, 99202-99205, 99211-99215, 99242-99245, 99341, 99342, 99344, 99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013-H2020, T1015 Online Assessments CPT: 98016, 98970-98972, 98980, 98981, 99421-99423 HCPCS: G0071, G2010, G2012, G2250-G2252



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
GSD Glycemic Status Assessment for Patients with Diabetes	Persons ages 18-75 with Type 1 or Type 2 diabetes whose most recent glycemic status (hemoglobin A1c [HbA1c] or glucose management indicator [GMI]) were at one of the following levels during the measurement year. Two rates are reported: • <u>Controlled</u> Glycemic Status is <8.0% • <u>Poorly Controlled</u> Glycemic Status is >9.0%	HbA1c Lab Test CPT: 83036, 83037 HbA1c level less than 8.0 CPT- II: 3044F, 3051F HbA1c Level Greater Than or Equal To 8.0 CPT- II: 3046F, 3052F HbA1c Level Less Than or Equal To 9.0 CPT- II: 3044F, 3051F, 3052F
IET Initiation and Engagement of Substance Use Disorder Treatment	Persons 13 years and older with new Substance Uses Disorder (SUD) episodes that result in treatment initiation and engagement. Two rates are reported: • Initiation of SUD Treatment: New SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter, partial hospitalization, telehealth visits or medication treatment within 14 days. • Engagement of SUD Treatment: New SUD episodes that have evidence of treatment engagement within 34 days of initiation.	BH Outpatient CPT: 98000-98007, 98960, 98961, 98962, 99078, 99202-99205, 99211-99215, 99242- 99245, 99341, 99342, 99344, 99345, 99347-99350, 99381- 99387, 99391- 99397, 99401-99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036-H0037, H0039-H0040, H2000, H2010-H2011, H2013-H2020, T1015 Outpatient POS: 3, 5, 7, 9, 11-20, 22, 33, 49, 50, 71, 72 Visit Setting Unspecified CPT: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99252-99255 Partial Hospitalization or Intensive Outpatient: HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485 Substance Use Disorder Services CPT: 99408, 99409 HCPCS: G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016, H0022, H0047, H0050, H2035, H2036, T1006, T1012



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions						
IMA-E Immunizations for Adolescents (Completed by age 13)	Adolescents who had the following vaccines by their 13th birthday: <table><tr><td>1 mening.</td><td>One dose of meningococcal vaccine</td></tr><tr><td>1 Tdap</td><td>One tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine</td></tr><tr><td>2 HPV</td><td>Human papillomavirus (HPV) vaccine series: 2 doses that are minimum 146 days apart.</td></tr></table>	1 mening.	One dose of meningococcal vaccine	1 Tdap	One tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine	2 HPV	Human papillomavirus (HPV) vaccine series: 2 doses that are minimum 146 days apart.	HPV Vaccine Procedure CPT: 90649, 90650, 90651 Meningococcal Vaccine Procedure CPT: 90734, 90619, 90623, 90733 Encephalitis Due to Diphtheria, Tetanus or Pertussis Vaccine SNOMED: 192710009, 192711008, 192712001 Anaphylaxis Due to Diphtheria, Tetanus or Pertussis Vaccine SNOMED: 428281000124107, 428291000124105
1 mening.	One dose of meningococcal vaccine							
1 Tdap	One tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine							
2 HPV	Human papillomavirus (HPV) vaccine series: 2 doses that are minimum 146 days apart.							
KED Kidney Health Evaluation for Patients with Diabetes	Persons ages 18–85 with type 1 or type 2 diabetes who received a kidney health evaluation including both: - eGFR - estimated glomerular filtration rate -and a- - uACR - urine albumin-creatinine ratio	Estimated Glomerular Filtration Rate Lab Test CPT: 80047, 80048, 80050, 80053, 80069, 82565 Quantitative Urine Albumin Lab Test CPT: 82043 Urine Creatinine Lab Test CPT: 82570 Exclusions*: End stage renal disease (ESRD) or who had dialysis any time during the person's history ICD-10: N18.5, N18.6						
LSC-E Lead Screening in Children (Completed on or by 2 nd birthday)	Children turning 2 years old during the measure year who had at least one lead blood test by their 2nd birthday.	Lead Test CPT: 83655						



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
OED Oral Evaluation, Dental Services	Persons 21 years and younger received a comprehensive or periodic oral evaluation from a dental provider during the measurement year.	Oral Evaluation CDT: D0120, D0145, D0150
PCE Pharmacotherapy Management of COPD Exacerbation	Persons 40 and older with COPD who had an acute inpatient discharge or ED visit on or between January 1 through Nov. 30 of measure year and were dispensed appropriate medications. Two rates are reported: • Systemic corticosteroid (or proof of Rx) w/in 14 days • Bronchodilator (or proof of Rx) within 30 days	Pharmacy claims data Dispensing of a systemic corticosteroid, bronchodilator Systemic Corticosteroid Medications Glucocorticoids: • Cortisone, dexamethasone, hydrocortisone, methylprednisolone, prednisolone, prednisone Bronchodilator Medications: • Anticholinergic agents: ◦ acclidinium bromide, ipratropium • Beta 2-agonists: ◦ albuterol, arformoterol, formoterol
PDS-E Postpartum Depression Screening and Follow-up	Persons screened for clinical depression during the postpartum period, and if screened positive, received follow-up care. • Screened for depression using a standardized tool. • If positive, mother received follow-up care within 30 days.	Behavioral Health Encounter CPT: 90791, 90792, 90832-90834, 90836- 90839, 90845-90847, 90849, 90853, 90865, 90867-90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409-G0411, G0511, G0512, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485 Follow Up Visit CPT: 98000-98016, 98960, 98961, 98962, 98966-98968, 98970-98972, 98980, 98981, 99078, 99202-99205, 99211-99215, 99242-99245, 99341, 99342, 99344, 99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99421-99423, 99441-99443, 99457, 99458, 99483 HCPCS: G0071, G0463, G2010, G2012, G2250-G2252, T1015 ICD-10: Z71.82



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
PND-E Prenatal Depression Screening and Follow-Up	Persons screened for clinical depression while pregnant and, if screened positive, received follow-up care. • A standardized depression screen. • If positive, mother received follow-up care within 30 days.	Behavioral Health Encounter CPT: 90791-90834, 90836-90839, 90845-90847, 90849, 90853, 90865, 90867-90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409-G0411, G0511, G0512, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485 Follow Up Visit CPT: 98000-98016, 98960-98962, 98966-98968, 98970-98972, 98980, 98981, 99078, 99202-99205, 99211- 99215, 99242-99245, 99341, 99342, 99344, 99345, 99347, 99348-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99421-99423, 99441-99443, 99457, 99458, 99483 HCPCS: G0071, G0463, G2010, G2012, G2250-G2252, T1015 ICD-10: Z71.82



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
PPC Prenatal and Postpartum Care	For live deliveries on or between <i>October 8, 2025</i>, and <i>October 7, 2026</i>, this measure assesses the timeliness of: Prenatal care in the first trimester, or within 42 days of enrollment with the managed care organization. A Postpartum visit between 7 and 84 days <i>after</i> delivery.	Prenatal Stand-Alone Visits CPT: 99500 HCPCS: H1000-1004 CPT-II: 0500F-0502F Prenatal Visits CPT: 98000-98016, 98966-98968, 98970-98972, 98980, 98981, 99202-99205, 99211-99215, 99242-99245, 99421-99423, 99441-99443, 99457, 99458, 99483 HCPCS: G0071, G0463, G2010, G2012, G2250-G2252, T1015 Prenatal Bundled Services CPT: 59400, 59425, 59426, 59510, 59610, 59618 HCPCS: H1005 Postpartum Care CPT: 57170, 99501, 58300, 59430 ICD-10: Z01.411, Z01.419, Z01.42, Z30.430, Z39.1-39.2 Postpartum Bundled Services CPT: 59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622
PRS-E Prenatal Immunization Status	Deliveries in the measurement period in which persons received: • 1 influenza vaccine and • 1 Tdap vaccine - tetanus, diphtheria toxoids, and acellular pertussis	Tdap Vaccine CPT: 90715 Adult Influenza Vaccine CPT: 90653, 90656, 90658, 90661, 90662, 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
SAA Adherence to Antipsychotic Medications for Individuals with Schizophrenia	Persons 18 and older with schizophrenia or schizoaffective disorder who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period during 2026.	Pharmacy claims data: Dispensing of antipsychotic medication Long-Acting Injections 28-Day Supply HCPCS: J0401, J1631, J1943, J1944, J2358, J2426, J2680
SNS-E Social Need Screening and Intervention	Persons screened during the measurement year for food, housing, or transportation needs, and those with a positive screen who received help within 30 days.	Food Insecurity Procedures CPT: 97802-97804 HCPCS: S5170, S9470 Housing Instability Procedures SNOMED: 308440001, 710824005, 711069006, 1148446004, 1148447008, 1162436000, 1268727008, 461481000124109 Homelessness Procedures SNOMED: 308440001, 710824005, 711069006, 1268727008 Housing Inadequacy Procedures SNOMED: 49919000, 308440001, 711069006, 1230338004 Transportation Insecurity Procedures SNOMED: 228615008, 308440001, 710824005, 711069006, 464001000124109, 1268662008
SSD Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	Persons 18-64 with schizophrenia, schizoaffective disorder, or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement period.	HbA1c Lab Test CPT: 83036, 83037 HbA1c Test Result or Finding CPT-II: 3044F, 3046F, 3051F, 3052F Glucose Lab Test CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 Glucose Test Result or Finding SNOMED: 166890005, 166891009, 166892002, 166921001, 166922008, 442545002, 444780001, 1179458001, 1259140002



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
TFC Topical Fluoride for Children	Children 1–4 years old who received at least two fluoride varnish applications during the measurement year.	Fluoride Varnish CPT: 99188 CDT: D1206
TSC-E Tobacco Use Screening and Cessation Intervention	Persons 12 years and older who were screened for tobacco use during the measurement year and, if they used tobacco, received cessation support during the measurement year or in the 180 days before it. Two rates are reported: Screening: The percentage of people screened for tobacco use. Intervention: The percentage of tobacco users who received cessation counseling and/or an approved cessation medication during the measurement year or in the 180 days before it.	Tobacco Use Cessation Counseling CPT: 99406, 99407 ICD-10: Z71.6
W30 Well-Child Visits in the First 30 Months of Life	Children from birth to 30 months of age who received the number of well visits. Two rates are reported: • Turning 15 months ▪ 6 or more well-child visits with a PCP. • Turning 30 months ▪ 2+ well-child visits with a PCP between 15 months and 30 months.	Well-Care Visit CPT: 99381-99385, 99391-99395, 99461 HCPCS: G0438, G0439, S0302, S0610, S0612, S0613 Encounter for Well Care ICD10CM: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z02.84, Z76.1, Z76.2



NCQA® HEDIS Measure Codes for Medicaid Population – Measurement Year 2026

Measure	Description	Commonly Used Codes, Exclusions
WCC Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	Children 3–17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year: • BMI Percentile documentation • Counseling for Nutrition • Counseling for Physical Activity	BMI Percentile ICD10CM: Z68.51-Z68.56 Nutrition Counseling CPT: 97802-97804 HCPCS: G0270, G0271, G0447, S9449, S9452, S9470 ICD10: Z71.3 Physical Activity Counseling HCPCS: G0447, S9451 ICD10: Z02.5, Z71.82 Required Exclusions Pregnancy
WCV Child and Adolescent Well-Care Visits	Children 3–21 years of age who received one or more well-child visits with a primary care provider or an OB/GYN during the measurement year.	Well-Care Visit CPT: 99381-99385, 99391-99395, 99461 HCPCS: G0438, G0439, S0302, S0610, S0612, S0613 Encounter for Well Care ICD10CM: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z02.84, Z76.1, Z76.2