AETNA BE	TTER HEALTH®		* ae	etna [™]
	Policy/Guideline			
Name:	Isotretinoins		Page:	1 of 4
Effective Date: 5/23/2025			Last Review Date:	5/2025
Applica	□Illinois	□Florida	□Michigan	
Applies to:	⊠New Jersey	⊠Maryland	⊠Florida Kids	
	⊠Pennsylvania Kids	⊠Virginia	☐Kentucky PRMD	

Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for isotretinoin under the patient's prescription drug benefit.

Description:

FDA-approved Indications

Absorica, Absorica LD

Absorica and Absorica LD are indicated for the treatment of severe recalcitrant nodular acne in non-pregnant patients 12 years of age and older with multiple inflammatory nodules with a diameter of 5 mm or greater. Because of significant adverse reactions associated with its use, Absorica and Absorica LD are reserved for patients with severe nodular acne who are unresponsive to conventional therapy, including systemic antibiotics.

Limitations of Use

If a second course of Absorica/Absorica LD therapy is needed, it is not recommended before a two-month waiting period because the patient's acne may continue to improve following a 15 to 20-week course of therapy.

Accutane, Amnesteem, Claravis, Myorisan, Zenatane

Isotretinoin is indicated for the treatment of severe recalcitrant nodular acne. Nodules are inflammatory lesions with a diameter of 5 mm or greater. The nodules may become suppurative or hemorrhagic. "Severe," by definition, means "many" as opposed to "few or several" nodules. Because of significant adverse effects associated with its use, isotretinoin should be reserved for patients with severe nodular acne who are unresponsive to conventional therapy, including systemic antibiotics. In addition, isotretinoin is indicated only for those patients who are not pregnant, because isotretinoin can cause lifethreatening birth defects.

A single course of therapy for 15 to 20 weeks has been shown to result in complete and prolonged remission of disease in many patients. If a second course of therapy is needed, it should not be initiated until at least 8 weeks after completion of the first course, because experience has shown that patients may continue to improve while off isotretinoin. The optimal interval before retreatment has not been defined for patients who have not completed skeletal growth.

Compendial Uses

Acne - refractory9

Cutaneous T-Cell Lymphoma (CTCL) (e.g., mycosis fungoides, Sézary syndrome)⁷

Keratosis follicularis (Darier Disease) - severe9

			₩æ	etna [™]
AETNA BE	ETTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Isotretinoins		Page:	2 of 4
Effective [Date: 5/23/2025		Last Review Date:	5/2025
Applies	□Illinois	□Florida	□Michigan	
Applies to:	⊠New Jersey	⊠Maryland	⊠Florida Kids	
	⊠Pennsylvania Kids	⊠Virginia	☐Kentucky PRMD	

Lamellar ichthyosis – severe skin involvement⁷

Neuroblastoma9

Pityriasis rubra pilaris⁷

Rosacea – severe refractory9

Squamous Cell Cancers – to reduce the development of precancers and skin cancers in high risk patients⁹

Transient acantholytic dermatosis (Grover's Disease) – severe9

Drug List:

Isotretinoin

Policy/Guideline:

Coverage Criteria

Acne Vulgaris, Rosacea

Authorization may be granted when the patient has a diagnosis of severe recalcitrant nodular acne vulgaris, refractory acne vulgaris, OR severe refractory rosacea when ALL of the following criteria are met:

- The patient has tried and had an inadequate treatment response to ANY topical acne product AND an oral antibiotic [Note: Topical products include salicylic acid, benzoyl peroxide, azelaic acid, adapalene, tretinoin, tazarotene, clindamycin, erythromycin, or metronidazole for rosacea. Oral antibiotics include minocycline, doxycycline, tetracycline, erythromycin, trimethoprim-sulfamethoxazole, trimethoprim, azithromycin.]
- Treatment will be limited to 40 weeks (2 courses) or less AND with at least 8 weeks between each course

Neuroblastoma, Cutaneous T-cell Lymphoma (CTCL), Squamous Cell Cancers, Grover's Disease, Darier Disease, Lamellar Ichthyosis, Pityriasis Rubra Pilaris

Authorization may be granted when the patient has a diagnosis of neuroblastoma, cutaneous T-cell lymphoma (CTCL) (e.g., mycosis fungoides, Sézary syndrome), is at high risk for developing skin cancer (squamous cell cancers), transient acantholytic dermatosis (Grover's Disease), keratosis follicularis (Darier Disease), lamellar ichthyosis, OR pityriasis rubra pilaris

AETNIA DE	TTER HEALTH®		*ac	etna ^m
	Policy/Guideline			
	•		_	
Name:	Isotretinoins		Page:	3 of 4
Effective Date: 5/23/2025			Last Review Date:	5/2025
Applica	□Illinois	□Florida	□Michigan	
Applies to:	⊠New Jersey	⊠Maryland	⊠Florida Kids	
	⊠Pennsylvania Kids	⊠Virginia	☐Kentucky PRMD	

Approval Duration and Quantity Restrictions:

Initial and Renewal Approval:

- 12 months
 - Note: for acne vulgaris or rosacea authorization may be entered as two separate 5month approvals with a minimum 8-week waiting period

Quantity Level Limits: Reference formulary for specific quantity limits.

References:

- 1. Absorica, Absorica LD [package insert]. Cranbury, NJ: Sun Pharmaceutical Industries, Inc.; June 2023.
- 2. Accutane [package insert]. Scottsdale, AZ: JG Pharma Inc.; December 2023.
- 3. Amnesteem [package insert]. Morgantown, WV: Mylan Pharmaceuticals Inc.; August 2022.
- 4. Claravis [package insert]. North Wales, PA: Teva Pharmaceuticals USA, Inc.; August 2022.
- 5. Myorisan [package insert]. Gurnee, IL: Akorn Operating Company LLC.; December 2022.
- 6. Zenatane [package insert]. Princeton, NJ: Dr. Reddy's Laboratories, Inc.; September 2022.
- 7. Lexicomp Online, AHFS DI (Adult and Pediatric) Online. Waltham, MA: UpToDate, Inc.; 2024. https://online.lexi.com. Accessed July 3, 2024.
- 8. Lexicomp Online, Lexi-Drugs Online. Waltham, MA: UpToDate, Inc.; 2024. https://online.lexi.com. Accessed July 3, 2024.
- 9. Micromedex® (electronic version). Merative, Ann Arbor, Michigan, USA. Available at: https://www.micromedexsolutions.com/ (cited: 07/02/2024).
- 10. Reynolds RV, Yeung H, Cheng CE, et al. Guidelines of care for the management of acne vulgaris. *J Am Acad Dermatol.* 2024;90(5):1006.e1-1006.e30.
- 11. Rosacea. National Institute of Arthritis and Musculoskeletal and Skin Diseases. http://www.niams.nih.gov/Health_Info/Rosacea/default.asp#6. Accessed July 3, 2024.
- 12. Granulomatous Rosacea. National Center for Advancing Translational Sciences: Genetic and Rare Diseases Information Center. https://rarediseases.info.nih.gov/diseases/6548/granulomatous-rosacea. Accessed July 3,
 - https://rarediseases.info.nih.gov/diseases/6548/granulomatous-rosacea. Accessed July 3, 2024.
- 13. Del Rosso JQ, Thiboutot D, Gallo R, et al. Consensus recommendations from the american acne & rosacea society on the management of rosacea, Part 3: A status report on systemic therapies. CUTIS. 2014;93:134-38.
- 14. Neuroblastoma Treatment. National Cancer Institute at the National Institute of Health. https://www.cancer.gov/types/neuroblastoma/hp/neuroblastoma-treatment-pdq#_707_toc. Accessed July 3, 2024.
- 15. National Comprehensive Cancer Network. Clinical Practice Guidelines in Oncology. Squamous Cell Skin Cancer. Version 1.2024. November 9, 2023. Available at: www.NCCN.org. Accessed July 3, 2024.
- 16. National Comprehensive Cancer Network. Clinical Practice Guidelines in Oncology. Primary Cutaneous Lymphomas. Version 2.2024. May 6, 2024. Available at: www.NCCN.org. Accessed July 3, 2024.

			* ac	etna •
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Isotretinoins		Page:	4 of 4
Effective D	Date: 5/23/2025		Last Review Date:	5/2025
Applica	□Illinois	□Florida	□Michigan	
Applies to:	⊠New Jersey	⊠Maryland	⊠Florida Kids	
	⊠Pennsylvania Kids	⊠Virginia	☐Kentucky PRMD	

- 17. NIH National Center for Advancing Translational Sciences. Grover's Disease. https://rarediseases.info.nih.gov/diseases/6551/grovers-disease. Accessed July 3, 2024.
- 18. American Osteopathic College of Dermatology. Grover's Disease. http://www.aocd.org/?page=GroversDisease. Accessed July 3, 2024.
- 19. NIH National Center for Advancing Translational Sciences. Genetic and Rare Diseases Information Center. Darier disease. https://rarediseases.info.nih.gov/diseases/6243/darier-disease. Accessed July 3, 2024.
- 20. Darier Disease. American Osteopathic College of Dermatology. http://www.aocd.org/skin/dermatologic_diseases/darier_disease.html. Accessed July 3, 2024.
- 21. NIH National Center for Advancing Translational Sciences. Genetic and Rare Diseases Information Center. Lamellar ichthyosis. https://rarediseases.info.nih.gov/diseases/10803/lamellar-ichthyosis. Accessed July 3, 2024.
- 22. NIH National Center for Advancing Translational Sciences. Genetic and Rare Diseases Information Center. Pityriasis rubra pilaris. https://rarediseases.info.nih.gov/diseases/7401/pityriasis-rubra-pilaris. Accessed July 3, 2024.
- 23. Pityriasis Rubra Pilaris. American Osteopathic College of Dermatology. http://www.aocd.org/?page=PityriasisRubraPil. Accessed July 3, 2024.