



MEDICARE FORM

Remicade® (infliximab) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP) FAX: 1-833-280-5224 PHONE: 1-855-463-0933

For other lines of business: Please use other form.

Note: Remicade is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G below.

Please indicate: Start of treatment: Start date / / Continuation of therapy: Date of last treatment / /

Precertification Requested By: Phone: Fax:

A. PATIENT INFORMATION

Form section A: Patient Information. Fields include First Name, Last Name, Address, City, State, ZIP, Home Phone, Work Phone, Cell Phone, DOB, Allergies, Email, Current Weight, Height.

B. INSURANCE INFORMATION

Form section B: Insurance Information. Fields include Member ID #, Group #, Insured, Does patient have other coverage?, Carrier Name, Insured.

C. PRESCRIBER INFORMATION

Form section C: Prescriber Information. Fields include First Name, Last Name, Address, City, State, ZIP, Phone, Fax, St Lic #, NPI #, DEA #, UPIN, Provider Email, Office Contact Name, Phone.

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Form section D: Dispensing Provider/Administration Information. Divided into Place of Administration and Dispensing Provider/Pharmacy. Includes checkboxes for self-administered, physician's office, etc., and fields for name, address, phone, etc.

E. PRODUCT INFORMATION - Please select the medication being requested

Form section E: Product Information. Fields include Request is for: Remicade (infliximab) Dose, Frequency, HCPCS Code.

F. DIAGNOSIS INFORMATION - Please indicate primary ICD Code and specify any other where applicable.

Form section F: Diagnosis Information. Fields include Primary ICD Code, Secondary ICD Code, Other ICD Code.

G. CLINICAL INFORMATION - Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests (clinical documentation required for all requests):

Note: Remicade, Inflectra, Entyvio, and Simponi Aria are the preferred products for MA plans. For MAPD plans, Remicade, Inflectra, and Entyvio are preferred for ulcerative colitis and Enbrel, Humira, Kevzara, Otezla, Rinvoq, Skyrizi, and Xeljanz/Xeljanz XR are preferred for other indications. Preferred products vary based on indication.

Form section G: Clinical Information. Includes checkboxes for prior therapy, trial and failure, and medical reasons. Includes questions about concomitant use, TB testing, and TB treatment.

Continued on next page



MEDICARE FORM

Remicade® (infliximab) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Remicade is preferred for
MA plans. Preferred status for
MAPD plans varies based on
indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Ankylosing Spondylitis and Other Spondyloarthropathies

Please select which of the following applies to the patient: Ankylosing spondylitis Other spondyloarthropathy

Yes No Is there evidence that the disease is active?

Yes No Is there evidence of inflammatory disease?

Yes No Has the patient had an ineffective response to two or more non-steroidal anti-inflammatory drugs (NSAIDs)?

→ Please provide the names and length of treatment:

NSAID #1: _____

NSAID #2: _____

Behcet's Disease

Yes No Is the disease refractory to corticosteroids or immunosuppressive drugs?

→ Please indicate: corticosteroids immunosuppressive drugs

Please provide the name of drug tried: _____

Behcet's Uveitis

Yes No Is the disease refractory?

Chronic Cutaneous/Pulmonary Sarcoidosis

Yes No Has the patient remained symptomatic despite treatment with steroids?

→ Please provide the daily dose of steroids: Dose: _____mg

Yes No Has the patient remained symptomatic despite treatment with immunosuppressants?

→ Please select: azathioprine cyclophosphamide methotrexate Other, please explain: _____

Crohn's Disease

Yes No Does the patient have a diagnosis of fistulizing Crohn's disease?

→ Please indicate how long the patient has been diagnosed with fistulizing Crohn's disease:

Yes No Does the patient have a diagnosis of Crohn's disease?

→ Please indicate the severity of the patient's disease: mild moderate severe

Yes No Does the patient have a documented diagnosis of active Crohn's disease?

→ Please select all signs/symptoms that apply:

abdominal pain arthritis bleeding diarrhea internal fistulae intestinal obstruction

megacolon perianal disease spondylitis weight loss None of the above

Yes No Have the Crohn's disease symptoms remained active despite treatment with 6-mercaptopurine, azathioprine, or corticosteroids?

→ Please check all medications that apply: 6-mercaptopurine azathioprine

corticosteroids- please identify: prednisone hydrocortisone methylprednisolone Other: _____

Hidradenitis Suppurativa

Please indicate the stage of hidradenitis suppurativa: Hurley stage I (mild disease) Hurley stage II (moderate disease)

Hurley stage III (severe disease) Unknown

Yes No Has the patient completed a trial of antibiotics?

→ Yes No Does the patient have a contraindication to oral antibiotics?

→ Yes No Was the treatment with antibiotics ineffective?

→ Please indicate the duration of the medication trial: Less than 1 month 1 month

2 months 3 months (90 days) or greater

Immune Checkpoint Inhibitor-Induced Toxicities

Please indicate therapy used:

CTLA-4

Please select drug: ipilimumab Other: _____

PD-1

Please select drug: nivolumab pembrolizumab Other: _____

PD-L1

Please select drug: atezolizumab avelumab durvalumab Other: _____

Other

Please explain: _____

Yes No Do the immune checkpoint inhibitor-induced toxicities persist despite discontinuation of immune checkpoint inhibitors that target CTLA-4 or PD-1/PD-L1 (e.g., atezolizumab, ipilimumab, nivolumab, pembrolizumab)?

Please indicate the toxicity, (check all that apply):

Cardiac Which life-threatening immune checkpoint inhibitor-induced cardiac toxicities does the patient have?

Please select: arrhythmias impaired ventricular function myocarditis pericarditis

Colitis Please indicate the severity of the immune checkpoint inhibitor-induced colitis. mild moderate severe

Please indicate which of the following symptoms the patient exhibits: 7 or more stools per day over baseline ileus fever None

Yes No Has the patient been treated with corticosteroids?

→ Please indicate the corticosteroid name: _____

Yes No Did the patient show improvement after 48 hours of corticosteroids?

Continued on next page



MEDICARE FORM

Remicade® (infliximab) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP) FAX: 1-833-280-5224 PHONE: 1-855-463-0933

For other lines of business: Please use other form.

Note: Remicade is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Please indicate the toxicity, (check all that apply):

- Elevated serum creatinine/acute renal failure
Please indicate the severity of the disease:
Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)
Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)
None of the above
Yes No Has the patient been treated with corticosteroids?
Please indicate the name and length of therapy: Name: Length: Less than 1 week 1 week or greater
Yes No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?
Inflammatory arthritis
Yes No Does the patient have refractory or severe disease? refractory disease severe disease
Yes No Is the patient responding to corticosteroids or anti-inflammatory agents? anti-inflammatory agents corticosteroids
Pneumonitis
Please indicate the severity of the disease: mild moderate severe
Yes No Has the patient been treated with corticosteroids for pneumonitis?
Please indicate the corticosteroid name:
Yes No Did the patient show improvement after 48 hours of corticosteroids?

Juvenile Idiopathic Arthritis (Juvenile Rheumatoid Arthritis)

- Please indicate the severity of the patient's disease: mild moderate severe
Yes No Does the patient have clinical documentation of polyarticular juvenile idiopathic arthritis (JRA)?
Yes No Is there evidence that the disease is active?
Yes No Was treatment with Enbrel (etanercept) ineffective?
Yes No Does the patient have a documented intolerance to Enbrel (etanercept)?
Yes No Does the patient have a documented contraindication to Enbrel (etanercept)?

Noninfectious Uveitis

- Yes No Was the treatment with corticosteroids ineffective?
Please indicate the corticosteroid name:
Yes No Was the treatment with immunosuppressive drugs (e.g., azathioprine, cyclosporine, or methotrexate) ineffective?
Please provide the name:
Yes No Does the patient have a documented intolerance to corticosteroids or immunosuppressive drugs?
Please indicate the drug(s) the patient has intolerance to: corticosteroids immunosuppressive drugs
Yes No Does the patient have a documented contraindication to corticosteroids or immunosuppressive drugs?
Please indicate the drug(s) the patient has contraindication to: corticosteroids immunosuppressive drugs

Plaque Psoriasis

- Please indicate the severity of the patient's disease: mild moderate severe
Yes No Is there evidence that the disease is active?
Yes No Is there clinical documentation of chronic disease?
Yes No Is the patient a candidate for systemic therapy or phototherapy?
Please select: phototherapy systemic therapy phototherapy and systemic therapy
Please provide the patient's Psoriasis Area and Severity Index (PASI) score: %
Please indicate the percentage of body surface area affected by plaque psoriasis: %
Yes No Does the plaque psoriasis involve sensitive areas? If yes, please select: hands feet face genitals
Yes No Was the trial with systemic conventional DMARD(s) (e.g., methotrexate, acetretin, or cyclosporine) ineffective?
Yes No Was the trial with systemic conventional DMARD(s) not tolerated?
Yes No Are systemic conventional DMARDs contraindicated?
Please select: acetretin cyclosporine methotrexate mycophenolate None of the above
Yes No Was the trial with phototherapy ineffective?
Yes No Was the trial with phototherapy not tolerated?
Yes No Is phototherapy contraindicated?
Please check all that apply: Psoralens (methoxsalen, trioxsalen) with UVA light (PUVA)
UVB with coal tar or dithranol
UVB (standard or narrow-band)
Home UVB
None of the above

Please indicate the length of trial: Less than 1 month 1 month 2 months 3 months or greater

Continued on next page



MEDICARE FORM

Remicade® (infliximab) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP) FAX: 1-833-280-5224 PHONE: 1-855-463-0933

For other lines of business: Please use other form.

Note: Remicade is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Psoriatic Arthritis

Is there evidence that the disease is active? Does the patient have axial psoriatic arthritis? Was the treatment with 2 or more non-steroidal anti-inflammatory drugs (NSAIDs) ineffective? Please provide the names and length of treatment: NSAID #1: NSAID #2: Does the patient have non-axial psoriatic arthritis? Does the patient have severe disease at presentation, defined as severe disability at onset with erosive disease involving multiple joints? Was the treatment with methotrexate ineffective? Was treatment with methotrexate not tolerated or contraindicated? Please select: not tolerated, contraindicated, Was treatment with another conventional DMARD ineffective? Please select: cyclophosphamide, cyclosporine, hydroxychloroquine, leflunomide, sulfasalazine, Other, please explain:

Pyoderma Gangrenosum

Does the patient have a documented diagnosis of refractory pyoderma gangrenosum?

Reactive Arthritis (Reiter's syndrome) or Inflammatory Bowel Disease Arthritis (Enteropathic Arthritis)

Please select which applies to the patient: reactive arthritis (Reiter's syndrome) inflammatory bowel disease arthritis (enteropathic arthritis)

Was the treatment with methotrexate ineffective? Was the treatment with methotrexate not tolerated? Does the patient have a contraindication to methotrexate? Was the treatment with sulfasalazine ineffective? Was the treatment with sulfasalazine not tolerated? Does the patient have a contraindication to sulfasalazine? Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) ineffective? Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) not tolerated? Does the patient have a contraindication to non-steroidal anti-inflammatory drugs (NSAIDs)? Please provide the name:

Retinal Vasculitis

Was treatment with a conventional DMARD ineffective? Was treatment with a conventional DMARD not tolerated or contraindicated? not tolerated, contraindicated

Rheumatoid Arthritis

Please indicate the severity of the patient's rheumatoid arthritis: mild, moderate, severe

Is there evidence that the disease is active? Will the patient be using Remicade (infliximab) in combination with methotrexate? Was treatment with methotrexate ineffective? Was treatment with methotrexate not tolerated or contraindicated? not tolerated, contraindicated, Was treatment with another conventional DMARD (other than methotrexate) ineffective? Please select: azathioprine, hydroxychloroquine, leflunomide, sulfasalazine

Sarcoidosis

Is the disease refractory to corticosteroids?

Continued on next page



MEDICARE FORM

Remicade® (infliximab) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP) FAX: 1-833-280-5224 PHONE: 1-855-463-0933

For other lines of business: Please use other form.

Note: Remicade is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Ulcerative Colitis

Is the patient hospitalized with active fulminant ulcerative colitis? Please indicate the severity of the patient's ulcerative colitis: mild moderate severe Is there evidence that the disease is active? Is the patient refractory to immunosuppression with corticosteroids... Does the patient require continuous immunosuppression with corticosteroids... Name and dose: Name: Dose: Please indicate the route: Oral IV Was treatment with immunosuppressant agent... Was treatment with immunosuppressant agent... not tolerated or contraindicated? Please select: not tolerated contraindicated 6-mercaptopurine azathioprine cyclosporine Was treatment with 5-aminosalicylic acid agents... Was treatment with 5-aminosalicylic acid agents... not tolerated or contraindicated? Please select: Colazal (balsalazide) Ariso, Asacal, Delzicol, Lialda, Pentasa, Rowasa, Canasa (mesalamine) Azulfidine (sulfasalazine) Other, please explain: Please select the symptoms the patient exhibit: more than 10 stools per day continuous bleeding abdominal pain distension acute, severe toxic symptoms, including fever and anorexia

For Continuation of Therapy (clinical documentation required for all requests):

Please indicate the length of time on Remicade (infliximab): Yes No Is this continuation request a result of the patient receiving samples of Remicade (infliximab)? Yes No Will Remicade (infliximab) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)? Yes No Is there clinical documentation supporting disease stability? Yes No Is there clinical documentation supporting disease improvement? Yes No Does the patient have any risk factors for TB? Yes No Has the patient had a TB test within the past year? (check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray Please enter the results of the TB test: positive negative unknown Yes No Has the patient received Remicade (infliximab) within the past 6 months? Yes No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion? Yes No Could the adverse reaction be managed through pre-medication in the home or office setting?

For Crohn's disease, Juvenile idiopathic arthritis, Plaque psoriasis, and Rheumatoid arthritis, Ulcerative colitis only:

Please indicate the severity of the disease at baseline (pretreatment with Remicade (infliximab)): mild moderate severe

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): Date: / /

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.